


Date: 15/12/2023

Request for Quotation No. UNFPA/MD/RFQ/37/2023

Dear Sir/Madam,

We hereby solicit your quotation for the supply and installation of following AC units and inox tables:

#	Description of goods / services: Generic technical specifications for goods / ToR for services	Unit of measure	Quantity
UNFPA Furniture			
1	<p>Air conditioners Split air conditioning system – 12 000 BTU; Type: split system Maximum cooling area, m2 25-35 Cooling capacity, BTU 12 000 Temperature range (heating) °C -10 - +24; Temperature range (cooling) °C 15 – 45; Compressor type: Inverter Energy efficiency class: at least A+ Warranty Period: 24 months</p> <p>Provided with Installation Services: 5 M of Frigorific channels Following locations: Ceadir-Lunga (2); Causeni (8); Orhei (9); Soroca (2); Ungheni (2); Cantemir (2); Vulcanesti (1); Chisinau (21, 4 destinations)</p>	Units	47
2	<p>Air conditioners Split air conditioning system – 24 000 BTU; Type: split system Maximum cooling area, m2 45-55 Cooling capacity, BTU 24 000 Temperature range (heating) °C -10 - +24; Temperature range (cooling) °C 15 – 45; Compressor type: Inverter Energy efficiency class: at least A+ Warranty Period: 24 months</p> <p>Provided with Installation Services: 5 M of Frigorific channel and a mechanical elevator up to 3rd floor for outside access in Causeni</p>	Units	1
3	<p>Table for Hot Air Sterilizer (inox) (h60cmx70cmx60cm) An Inox table that supports at least 75 KG of weight. Has a Shelf for storage of accessories.</p> 	Units	20

4	<p>Table Inox Worktable stainless Overall stainless steel. Manufactured in High Grade Stainless Steel. High Grade Welded and Polished With reinforce bar, which give the table strong enough to support heavy things. Top shelf without raised edges, creates entirely flat work surface Lower shelf with fully flat surface, is fixed to the table frame right above the swivel castors Materials: High resistance to corrosion (tropical environment) Frame and tray: Autenitic stainless steel 18/10 Two layer. Table should be on swivel castors with ball bearings make it maneuverable and allow it to be pushed. Two of the castors to be equipped with parking brakes. Size- 1400X600X890mm</p>	Units	28
---	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----

The goods are to be delivered maximum in **60 calendar days** upon issuing of PO. The quotation shall be valid at least for 90 days after the RFQ closing date.

Note: The transportation cost should be included in the total price of the quotation.

If you are interested in submitting a quotation for these items, kindly fill in the attached Quotation Form and send by email to the address indicated below:

Email: tender.mda@unfpa.org

Please submit your quotation in MDL or USD currency. Conversion of currency into the UNFPA preferred currency, if the offer is quoted differently from what is required, shall be based only on [UN Operational Exchange Rate \(https://treasury.un.org/operationrates/OperationalRates.php\)](https://treasury.un.org/operationrates/OperationalRates.php) prevailing at the time of competition deadline.

Your earliest response to this query would be highly appreciated, but not later than **22/12/2023, 16:30 (GMT +3, Moldova Local Time)**.

Note: Current UNFPA supplier policies apply to this solicitation and can be found at: <http://www.unfpa.org/suppliers>.

Qualification Criteria:

- Full acceptance of the PO/Contract General Terms and Conditions
- Maximum delivery period not to exceed 60 calendar days upon signature of contract


Evaluation method:


- Lowest priced offer that is substantially responsive to the requirements of the RFQ

Conditions for Release of Payment:

- Passing Inspection
- Written Acceptance of Goods based on full compliance with RFQ requirements

Best regards,

Prepared by: 
Tarcenco Iurie/ Procurement Analyst
Tel. No. +373 79785684
Email: tarcenco@unfpa.org

Approved by: 
Nigina Abaszade
Resident Representative
UNFPA Moldova



Quotation Form

Name of Bidder: _____
Date of Bid: _____
Request for Quotation No: _____
Currency of Bid price: _____
Delivery time (from receipt of order till dispatch): _____
Expiration of Validity of Quotation (The quotation shall be valid for a period of at least 90 days after the Closing date.)

Price Schedule:

Item No.	Quantity	Unit Price (Currency)	Total CPT, Chisinau (Currency)	Delivery schedule
Air Conditioning – 12000 BTU	47			(days)
Air Conditioning – 24000 BTU	1			(days)
Table for Hot Air Sterilizer	20			(days)
Table inox	28			(days)

In your offer, please include the following (mandatory documents):

1. Detailed technical description of the offered goods, or product catalogue/leaflet, with detailed technical specifications as detailed in RFQ. Photos of the device product and packaging (preferably in a format where the dimensions and features can be visually verified)
2. Quality standard of the products (Quality Certificates (ISO, EC etc.):)
3. Company registration documents
4. Written Self-Declaration of not being included in the UN Security Council 1267/1989 list, UN Procurement Division List or other UN Ineligibility List;

Vendor's Comments:

I hereby certify that this company, which I am duly authorized to sign for, accepts the terms and conditions of UNFPA (<http://www.unfpa.org/resources/unfpa-general-conditions-contract>) and we will abide by this quotation until it expires.

Name and title

Date and Place